

GMC 1000(2) - 3000(2) UPC INSTALLATION DRAWING

"B" = COLLAR (EC2) HEIGHT
TRIMMABLE ON SITE.
IF OVER 6 FT. REQUIRES FACTORY
REINFORCEMENT OF TANK

NOTES:

- REFER TO INSTALLATION PROCEDURE AND INSTALLATION CHECKLIST.
- PROCEPTOR SEPARATORS MUST BE INSTALLED IN ACCORDANCE WITH ALL RELEVANT FEDERAL, PROVINCIAL/STATE, AND LOCAL CODES INCLUDING LOCAL PLUMBING CODE.
- US PATENT # 5,746,912; CDN PATENT # 2,195,822




TABLE 2

PROCEPTOR SEPARATOR MODEL	INLET INVERT TO TANK BOTTOM (H*)	DRY WEIGHT OF UNIT
GMC 1000(2) UPC	33"	1130 lbs
GMC 1500(2) UPC	46"	1290 lbs
GMC 2000(2) UPC	60"	1350 lbs
GMC 2600(2) UPC	75"	1550 lbs
GMC 3000(2) UPC	86"	1750 lbs

TABLE 1

BURIAL DEPTH	B
Max.	6 ft.
Min. with Traffic	18"
Min. no Traffic	** 12"

** ESTIMATED SPACE REQUIRED TO FIT VENT ELBOWS UNDER FLOOR.

TITLE: PROCEPTOR F.O.G. SEPARATOR
INSTALL FOR GMC 1000(2)-3000(2) UPC

PROJECT: WO:

AVAILABLE OPTIONS (CHECKED IF REQUESTED)

REV	DATE	DRAWN
1	NOVEMBER 17, 2009	L. SIMKINS
2	SEPTEMBER 7, 2010	L. SIMKINS
3	MAY 27, 2011	L. SIMKINS
4	OCTOBER 04, 2012	S. MANGAT
5	FEBRUARY 12, 2013	S. MANGAT
6	MAY 27, 2013	S. MANGAT
7	JULY 03, 2013	S. MANGAT
8	AUGUST 10, 2015	
9	SEPT. 12, 2016	
10	MAY 16, 2017	

DRAWN BY: L. SIMKINS

DRAWN DATE: AUGUST 13, 2009

Proceptor®

ZURN®

SIZE	DWG. NO.	REV.
A	INSTALL GMC 1000(2)-3000(2) UPC	10

SCALE: 1:50 DO NOT SCALE DRAWING SHEET 1 OF 1