


ZURN WILKINS SMALL BACKFLOW PREVENTERS

Proven, Preferred, Performance-Driven


by **ZURN ELKAY** Water Solutions





Backflow Preventers

From simplified, proven designs to time-tested durability, Zurn is the preferred manufacturer of backflow preventers. The compact dimensions allow contractors to replace or install within any application. The robust construction and economic repair kits keep labor, costs, and maintenance to a minimum for owners.





Durable Construction

UV-resistant, reinforced nylon EZSwap and stainless steel valve components withstand harsh outdoor conditions, including corrosion and buildup.



Easy Install

Compact size and short lay length cut down on install time, labor and space.



Fast Flushing

Flush fitting tool (FLUSH) takes just seconds to remove fouling debris and only requires one person to operate.




Lowest Lifecycle Costs

Repair kits provide complete line of compatible parts to save up to 75% compared to other solutions in the market.

	VALVE ASSEMBLY TYPE	SIZE OPTIONS	BACKSIPHONAGE/ BACKPRESSURE PROTECTION	HIGH HAZARD	LOW HAZARD	LEAD FREE	TOP ACCESS CHECK DESIGN	LOW COST REPAIR KITS
350	Double Check	3/4" 1" 1-1/4" 1-1/2" 2"	~		~		~	~
350XL	Double Check	3/4" 1" 1-1/4" 1-1/2" 2"	~		~	~	~	~
375	Reduced Pressure Principle	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"	•	~			~	~
375XL	Reduced Pressure Principle	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"	~	~		~	~	~

ASSE® Listed, cUPC® Listed, Approved by the Foundation for Cross-Connection Control and Hydraulic Research at the University of Southern California





Durable Construction

All bronze body and stainless-steel ball valve handles withstand wear, resist corrosion and increase product life.



Low-Cost Maintenance

Simplified design and economical repair kits speed up repairs and keep costs down over the product lifespan.



Speedy Repairs

Separate threaded check covers provide easy access to simplify repairs and reduce labor costs.



Fast Testing

Optional SAE flare test cocks at no additional cost allow for faster backflow testing and reduces the need to use adapters or PTFE tape.

	VALVE ASSEMBLY TYPE	SIZE OPTIONS	BACKSIPHONAGE/ BACKPRESSURE PROTECTION	HIGH HAZARD	LOW HAZARD	LEAD FREE	WYE PATTERN CHECK DESIGN	TOP ACCESS CHECK DESIGN	LOW COST REPAIR KITS
975XL3	Reduced Pressure Principle	1/2" 1-1/4" 3/4" 1-1/2" 1" 2"	~	~		~		~	~
975XL2	Reduced Pressure Principle	1/4" 1" 3/8" 1-1/4" 1/2" 1-1/2" 3/4" 2"	~	~		~	~		~
975XL	Reduced Pressure Principle	3/4" 1-1/4" 1" 1-1/2" 2"	~	✓			~		~
950XL3	Double Check	3/4" 1-1/4" 1" 1-1/2" 2"	~		~	~		~	~
950XLT2	Double Check	3/4" 1-1/4" 1" 1-1/2" 2"	~		~	~		~	~
950XLT	Double Check	3/4" 1-1/4" 1" 1-1/2" 2"	~		~			~	~
950XL	Double Check	3/4" 1-1/2" 1" 2"	~		~		~		~

ASSE Listed, cUPC Listed, Approved by the Foundation for Cross-Connection Control and Hydraulic Research at the University of Southern California



DOUBLE CHECK ASSEMBLIES (DC)

Low-Hazard Protection



950XL3 3/4"-2", Lead Free



950XLT2 3/4"-2", Lead Free



950XLT 3/4"-2"



950XL 3/4"-1"



350XL 3/4"-2", Lead Free



350 3/4"-2"

REDUCE PRESSURE PRINCIPLE ASSEMBLIES (RP)

High-Hazard Protection



975XL3 1/2"-2", Lead Free



975XL2 3/4"-2", Lead Free



975XL 3/4"-2"



375XL 1/2"-2", Lead Free



375 1/2"-2"





Durable Construction

Corrosion-resistant bronze construction withstands wear and extends life.



Easy Install

Lightweight, compact body simplifies installs, even in the tightest spaces.



Low-Cost Maintenance

Fewer parts and easy access reduce maintenance steps and costs.



High-Hazard Protection

Industry-leading high-hazard protection helps prevents cross contamination.

	SIZE OPTIONS	BACKSIPHONAGE PROTECTION	FREEZE RESISTANCE	HIGH HAZARD	LEAD FREE	SPILL RESISTANCE
710	3/4" 1"	~		~		
720A	1/2" 3/4" 1" 1-1/4" 1-1/2" 2"	~		~		
420XL	3/4" 1"	~	~	~	~	
460XL	3/8" 1/2" 1"	~		~	~	~

ASSE Listed, cUPC Listed, Approved by the Foundation for Cross-Connection Control and Hydraulic Research at the University of Southern California