



Z9-PP80-FR

FLAME-RETARDANT PIPE SCHEDULE 80 FOR ACID WASTE

TAG _____

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



Dimensions In Inches		
Nominal Pipe Size	D	Wall Thickness
1-1/2 [38]	1-29/32 [48]	.200 [5] - .224 [6]
2 [50]	2-3/8 [60]	.218 [6] - .244 [6]
3 [75]	3-1/2 [89]	.300 [8] - .336 [9]
4 [100]	4-1/2 [114]	.337 [9] - .377 [10]
6 [152]	6-5/8 [168]	.432 [11] - .484 [12]

ENGINEERING SPECIFICATION:

ASTM-F1412, F.R.P.P.-210
FLAME RETARDANT POLYPROPYLENE PIPE.
10-FOOT LENGTHS.

PIPE SIZE

1-1/2, 2, 3, 4, 6 [Sch 80]

*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED

REV. DATE: 5/3/01 C.N. NO. 87633

DWG. NO. 66306 PRODUCT NO. Z9-PP80-FR

ZURN INDUSTRIES, INC. ♦ SPECIFICATION DRAINAGE OPERATION ♦ 1801 Pittsburgh Ave. ♦ Erie, PA 16514

Phone: 814/455-0921 ♦ Fax: 814/454-7929 ♦ World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905/405-8272 Fax: 905/405-1292