


Exposed Z6000-DF Model

for Water Closets



Flow Options

☐-WS1	1.6 Gal. Low Consumption Flush
-FF	4.5 Gal. Full Flush
	3.5 Gallons Per Flush

Suffix Options (Check/Specify Appropriate Options)

 <u> </u>	
 -BG	BioCare ADA Handle
 -H	Handle on Front of Flush Valve
 -L	1" [25] Metal Push Button
 -L3	3" [76] Metal Push Button
 -VC	Vandal Resistant Stop Cover
 -YB	Sweat Solder Kit
 -YC	Cast Wall Flange
 -YJ	Split Ring Pipe Support
 -YK	Solid Ring Pipe Support
-YO	Bumper on Angle Stop
	Other

ENGINEERING SPECIFICATION: ZURN Z6000-DF Dual Flush Aquaflush Exposed Closet Flush Valve - Exposed, quiet diaphragm-type, chrome plated flushometer valve with a polished exterior. Complete with a chloramine resistant, dual seal diaphragm with a clog resistant by-pass. The valve is ADA compliant with a non-hold-open and no leak handle feature. Lifting the handle up initiates a reduced flush of 30% for the evacuation of liquid waste. Pushing the handle down actuates a full flush for solid waste. A wall plate is furnished with graphics and instructions for user operations. The valve also includes high back pressure vacuum breaker, one piece hex coupling nut, adjustable tailpiece, spud coupling and flange for top spud connection. Control stop has internal siphonguard protection. Internal seals are made of chloramine resistant materials.

☐ Z6000PL-DF - Aquaflush Plus is furnished as specified above and includes sweat solder kit, vandal resistant stop cap, and cast wall flange with set screw. Complete with a chloramine resistant, dual seal diaphragm with a clog resistant by-pass.



Buy American / ARRA compliant

ZURN INDUSTRIES, LLC. ♦ COMMERCIAL BRASS OPERATION ♦ 5900 ELWIN BUCHANAN DRIVE ♦ SANFORD NC 27330 Phone: 1-800-997-3876 ♦ Fax: 919-775-3541 ♦ World Wide Web: www.zurn.com In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905-405-8272 Fax: 905-405-1292

AquaVantage® is a registered trademark of Zurn Industries, LLC.

This space is for Architectural/Engineering Approval

The information contained in this document is subject to change without notice. Please contact Zurn for most up to date information.

> Rev. Dwg. No. 200303