




Z1204-1ND

ADJUSTABLE VERTICAL BACK TO BACK SIPHON JET NO-HUB WITH SIDE INLET

SPECIFICATION SHEET

TAG _____

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



Note:

1. Min. 'P' Dim. Obtainable = 2 [51] with cut standard coupling.
2. One 4 [102] side inlet as indicated.
3. 2 [51] No-Hub auxiliary inlet located opposite 4 [102] side inlet when specified.
4. Feet bolted to floor using min. 1/2 [13] dia. bolts and back slots on carrier feet.

Product No.	Dimensions in Inches [mm]						App. Wt. Lbs. [kg.]
	A	B	D	E	H	N	
Z1204-1ND4	4 [102]	4 [102]	6-5/8 [168]	5-1/2 [140]	5-1/2 [140]	13-1/4 [337]	137 [63]
Z1204-1ND43	4 [102]	3 [76]	5 [127]	6-5/8 [168]	5-1/2 [140]	13-1/4 [337]	137 [63]

ENGINEERING SPECIFICATION: ZURN Z1204-1ND ()

Adjustable, vertical siphon jet water closet "Rigid System" with 4" [102mm] No-Hub connections and () side inlet. Complete with Dura-Coated cast iron double main fitting, with 2" [51mm] vent, adjustable gasketed face plate, universal floor mounted foot supports, corrosion resistant adjustable polymer coupling with integral test cap, fixture bolts, trim, stud protectors, and bonded "Neo-Seal" gasket.

PRODUCT/DEFINITION

_____ Z1204-1ND () No-Hub Stack, Double Inlets, (1) 4 [102] Left Hand Side Inlet, 2 [51] Left Hand Vent

PREFIXES

- _____ Z D.C.C.I. System with Zurn "ZZ" Adjustable Coupling*
- _____ ZQ D.C.C.I. System with Non-Adjustable Coupling

SUFFIEXS

- _____ -A Auxiliary Support Assembly (for 'P' Dim. Greater Than 18 [457])
- _____ -B Blowout Type Fixture Support
- _____ -CC Corrosion Resistant Cast Iron Coupling (6 - 12 [152 - 305])
- _____ -CL Coupling Length Other than Standard 6 [152] (Specify Length Required)
- _____ -F Floor Mount, Back Outlet Fixture Support
- _____ -JR 2 [51] Right-Hand Auxiliary Inlet
- _____ -M Auxiliary Foot Support (for 'P' Dim. 10 - 18 [254 - 457])
- _____ -PF Pre-Fab Foot
- _____ -PS Pre-Fab Slotted Foot
- _____ -RYK Unistrut Pre-Fab Foot
- _____ -VP Vandal-Proof Trim
- _____ -X3 3 [76] Foot Extension Assembly (See Z1200-FT-EXT-3)
- _____ -X4 4 [102] Foot Extension Assembly (See Z1200-FT-EXT-4)
- _____ -45 Finishing Frame for Siphon Jet System (See Z1200-FINFRAME-SJ)
- _____ -50 Flush Valve Supply Support for W.C. (See Z1200-SPLY-SPRT-WC)

* Regularly furnished unless otherwise specified.