




Z1204-ND-F

ADJUSTABLE VERTICAL DOUBLE SIPHON JET NO-HUB WATER CLOSET CARRIER FOR FLOOR MOUNTED BACK OUTLETS.

SPECIFICATION SHEET

TAG _____

Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



Note:

1. Min. 'P' Dim. Obtainable=2 [51]
2. Two 3 [76], 4 [102] or 5 [127] side inlets as indicated.
3. Feet bolted to floor using min. 1/2 [13] dia. bolts and back slots on carrier feet.

Product No.	Dimensions In Inches					Approx. Wt. Lbs. [kg]
	A	D	E	H	N	
Z1204-ND4-F	4 [102]	5 [127]	6 5/8[168]	5 1/2[140]	13 1/4[336]	139[63]
Z1204-ND5-F	5 [127]	5 1/2[140]	6 5/8[168]	6 1/2[165]	13 1/4[336]	140[63]
Z1204-ND6-F	6 [152]	6 [152]	7 1/8[181]	6 1/2[165]	14 1/4[362]	145[66]

ENGINEERING SPECIFICATION:

ZURN Z1204-ND-F() Adjustable, vertical siphon jet water closet "Rigid System" with () size No-Hub connections and () side inlets. Complete with Dura-Coated cast iron double main fitting, with 2 [51] vent, adjustable gasketed faceplate, universal floor mounted foot supports, corrosion resistant adjustable ABS coupling with integral test cap, fixture bolts, trim, stud protectors, bonded "Neo-Seal" gasket, and floor mounted back outlet fixture support.

PRODUCT/DEFINITION

_____ Z1204-ND-F No-Hub Stack, Double Inlet, 2 [51] Vent, w/ Floor Mount, Back Outlet Fixture Support.

PREFIXES

- _____ Z D.C.C.I. System with Zurn "ZZ" Adjustable Coupling*
- _____ ZQ D.C.C.I. System with NPT Face Plate, Non-Adjustable Coupling

SUFFIXES

- _____ -B Blowout Type Fixture Support (For Blowout System specify -45-B)
- _____ -CC Corrosion Resistant Cast Iron Coupling (6 [152] to 12 [305]) _____ -50 Flush Valve Supply Support for W.C.
- _____ -CL Coupling Length Greater than 12 [305] _____ -61 "ZZ" Coupling Wrench
(Specify length Required)
- _____ -G Galvanized Cast Iron
- _____ -JJ Two 2 [51] Auxiliary Inlets
- _____ -JL 2 [51] Left Hand Auxiliary Inlet
- _____ -VP Vandal Proof Trim
- _____ -XI 2 [51] Integral Foot Extension Assembly
- _____ -X3 3 [76] Foot Extension Assembly
- _____ -X4 4 [102] Foot Extension Assembly
- _____ -29 Mechanical Test Cap Assembly
- _____ -45 Finised Frame for Siphon Jet System

*REGULARLY FURNISHED UNLESS OTHERWISE SPECIFIED

REV. A	DATE: 11/4/10	C.N. NO. 120241
DWG. NO. 65973	PRODUCT NO. Z1204-ND-F	

ZURN INDUSTRIES, LLC ♦ SPECIFICATION DRAINAGE OPERATION ♦ 1801 Pittsburgh Ave. ♦ Erie, PA 16514

Phone: 814/455-0921 ♦ Fax: 814/454-7929 ♦ World Wide Web: www.zurn.com

In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905/405-8272 Fax: 905/405-1292