




Z121-84-85

12 [305] DIAMETER ROOF DRAIN W/PERFORATED GRAVEL
GUARD WITH PERFORATED EXTENSION

SPECIFICATION SHEET

TAG _____

Design and Dimensional Data (inches and [mm]) are Subject to Manufacturing Tolerances and Change Without Notice



'A' Pipe Size in. [mm]	Approx. Wt. lbs. [kg]	Dome Open Area in ² . [cm ²]
2, 3, 4, 6 [51, 76, 102, 152]	24 [11]	78 [503]

ENGINEERING SPECIFICATION: ZURN Z121-84-85

12" [305mm] Diameter roof drain. Dura-Coated cast iron body with combination membrane flashing clamp/gravel guard secondary clamping collar, stainless steel perforated extension, perforated ring and low silhouette Poly-Dome.

OPTIONS (Check/specify appropriate options)

PIPE SIZE

2, 3, 4, 6 [51, 76, 102, 152]
2, 3, 4, 6 [51, 76, 102, 152]
2, 3, 4, 6 [51, 76, 102, 152]
2, 3, 4 [51, 76, 102]

(Specify size/type) OUTLET

_____ IC Inside Caulk
_____ IP Threaded
_____ NH No-Hub
_____ NL Neo-Loc

'E' BODY HT. DIM.

5-1/4 [133]
3-3/4 [95]
5-1/4 [133]
4-9/16 [116]

PREFIXES

_____ Z D.C.C.I. Body with Poly-Dome (4-1/4 [108] Dome Height)*
_____ ZA D.C.C.I. Body with Aluminum Dome (6-9/16 [167] Dome Height)
_____ ZC D.C.C.I. Body with Low Silhouette Cast Iron Dome

SUFFIXES

_____ -AR Acid Resistant Epoxy Coated
_____ -C Underdeck Clamp
_____ -DB Deep Sump Body (IC Only)
_____ -DP Top-Set® Deck Plate (Replaces both the -C and -R)
_____ -E Static Extension 1 [25] thru 4 [102] (Specify Ht.)
_____ -EB Top-Set Adjustable Extension Assembly
_____ -FG Flush Grate
_____ -G Galvanized Cast Iron

_____ -R Roof Sump Reciever
_____ -SS Stainless Mesh Screen Over Dome
_____ -TC Neo-Loc Test Cap Gasket
(2,3,4 [51,76,102] NL Bottom Outlet Only)
_____ -VP Vandal-Proof Secured Top
_____ -XJ Vertical Expansion Joint
_____ -89 2 [51] High External Water Dam
_____ -90 90° Threaded Side Outlet Body

* Regularly furnished unless otherwise specified

⚠ **WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov

⚠ **ADVERTENCIA:** Cáncer y daño reproductivo - www.P65Warnings.ca.gov

⚠ **AVERTISSEMENT:** Cancer et effets néfastes sur la reproduction - www.P65Warnings.ca.gov

Zurn Industries, LLC | Specification Drainage Operation
1801 Pittsburgh Avenue, Erie, PA 16502, Ph. 855.663.9876

In Canada | Zurn Industries Limited
7900 Goreway Drive, Unit 10, Brampton, Ontario L6T 5W6, Ph. 877.892.5216

www.zurn.com

Rev. -
Date: 09/30/2024
C.N. No. 146363
Prod. | Dwg. No. Z121-84-85