
TAG	

E BODY HT. DIM.

Dimensional Data (inches and [ mm ]) are Subject to Manufacturing Tolerances and Change Without Notice



Α	Approx	Grate Open
Pipe Size	Wt.	Area
in [mm]	lbs [kg]	in² [cm²]
2,3,4,6 [51,76,102,152]	26 [12]	78 [503]

## **ENGINEERING SPECIFICATION:** ZURN Z121-E-FG

-SC

-TC

-XJ

-84

-85

-89

-90

12" [305mm] Diameter roof drain. Dura-Coated cast iron body with combination membrane flashing clamp/gravel guard, gasketed static extension and flat cast iron grate.

OPTIONS (Check/specify appropriate options)

PIPE SIZE (Specify size/type) OUTLET

 2,3,4,6[51,76,102,152]
 \_\_\_\_\_\_\_ IC
 Inside Caulk
 5-1/4[133]

 2,3,4,6[51,76,102,152]
 \_\_\_\_\_\_ IP
 Threaded
 3-3/4[95]

 2,3,4,6[51,76,102,152]
 \_\_\_\_\_\_ NH
 No-Hub
 5-1/4[133]

 2,3,4[51,76,102]
 \_\_\_\_\_\_ NL
 Neo-Loc
 4-9/16[116]

**PREFIXES** 

Z D.C.C.I. Body with Grate\*

**SUFFIXES** 

-AR Acid Resistant Epoxy Coated
-C Underdeck Clamp
-DB Deep Sump Body (IC Only)
-DP Top-Set® Roof Deck Plate

(Replaces both -C and -R)

-EB Top-Set Adjustable Extenson Assembly
-G Galvanized Cast Iron

\* Regularly furnished unless otherwise specified.

Zurn Industries, LLC | Specification Drainage Operation

Roof Sump Receiver

1801 Pittsburgh Avenue, Erie, PA U.S.A. 16502 · Ph. 855-663-9876, Fax 814-454-7929

In Canada | Zurn Industries Limited

3544 Nashua Drive, Mississauga, Ontario L4V 1L2 · Ph. 905-405-8272, Fax 905-405-1292

Rev. A
Date: 10/3/2017
C.N. No. 138300
Prod. | Dwg. No. Z121-E-FG

Secondary Clamping Collar

(2,3,4 [51,76,102] NL Bottom Outlet Only)

Stainless Steel Perforated Gravel Guard

Stainless Steel Perforated Extension

2 [51] High External Water Dam

90° Threaded Side Outlet Body

Neo-Loc Test Cap Gasket

Vandal Proof Secured Top

Vertical Expansion Joint

-R