



Lead-Free

Product Identification






Backflow Preventers

Backflow preventers sized from 1/2" – 2" have green handles on the shut-off valves. Model numbers are designated with the "XL" suffix, which can be seen etched on product bosses or in the castings. 900 series backflow preventers are designated with the "XL2" suffix as "975XL2" and "950XL2". All lead-free backflow preventers have a white fiber tag with green text providing lead-free information.

375XL



350XL



460XL



* This document is provided as a reference guide only. Examples depicted do not represent the full lead-free line. Contact Zurn for additional information on identifying specific products not shown.



Pressure Regulators

Pressure Regulators sized from 1/2" – 3" have two lead-free designated tags: a metal lead-free product identification tag and a white fiber tag with green text providing lead-free information. Model numbers are designated with the "XL" suffix and it can be seen in the castings.

NR3XL



500XLFC



* This document is provided as a reference guide only. Examples depicted do not represent the full lead-free line. Contact Zurn for additional information on identifying specific products not shown.



Thermostatic Mixing Valves

Thermostatic Mixing Valves have green caps and are designated with the “XL” suffix, seen in the castings. In addition to what is shown, the description also applies to model numbers ZW1017XL and ZW3870XLT-4P.

ZW1070XL



ZW3870XLT



* This document is provided as a reference guide only. Examples depicted do not represent the full lead-free line. Contact Zurn for additional information on identifying specific products not shown.



Other Products

Other Zurn Wilkins products such as strainers and dielectric unions are designated with the “XL” suffix can be seen in castings or it will be stamped on the product.

Dielectric Union and SXL Strainer



Faucets and Cartridge Bodies

Faucet bodies are designated with the “XL” suffix, which can be seen in the castings. Cartridge bodies are designated with the “XL” suffix and it can be seen in the castings.



* This document is provided as a reference guide only. Examples depicted do not represent the full lead-free line. Contact Zurn for additional information on identifying specific products not shown.



Zurn PEX Fittings

Zurn PEX “XL” brass barbed fittings sized from 3/8” – 2” are marked with the letter “G” indicating the product is listed to NSF Standard 61 Annex G for compliance with low-lead requirements. Part numbers are designated with a “G” or “GX” suffix. “XL Brass” is included in the product description.



Packaging

Packaging utilizes green color as the lead-free designator. Brown boxes have white labels with green ink and Lead-Free clearly marked. Four-color packaging has a green gradient on the lower part of the box with lead-free clearly marked

Brown Boxes, Four-Coloring Packaging, and Repair Kits (Clamshells)



* This document is provided as a reference guide only. Examples depicted do not represent the full lead-free line. Contact Zurn for additional information on identifying specific products not shown.



Packaging (continued)

Packaging utilizes green color as the lead-free designator. Brown boxes have white labels with green ink, clearly marked “lead-free” or green stickers with black “XL”. Clear bag packaging utilizes a white label with black print. The “XL” logo located on the right side of the label and is clearly visible.



* This document is provided as a reference guide only. Examples depicted do not represent the full lead-free line. Contact Zurn for additional information on identifying specific products not shown.



Call 855-ONE-ZURN

**to speak to a Customer Care Representative
or contact your local Zurn Sales Representative.**

zurn.com

Zurn Industries, LLC

1801 Pittsburgh Avenue • Erie, Pa, U.S.A. 16502

Phone: 855-ONE-ZURN (855-663-9876) • Fax: 814-898-2573

www.zurn.com

In Canada: **Zurn Industries Limited**

3544 Nashua Drive • Mississauga, Ontario L4V 1L2

Phone: 905-405-8272 • Fax: 905-405-1292

