



TAG \_\_\_\_\_

ARCHITECTURAL & ENGINEERING SPECIFICATION

Zurn's concealed hardwired automatic Sensor Flush Valve with quiet diaphragm and electronic override button, is designed for modern commercial restrooms. Smart and connected flush valve systems are engineered to deliver high performance and superior facility management capabilities.

PRODUCT FEATURES

- Zurn's AquaVantage® TPE diaphragm
  - Clog Resistant triple filter by-pass
  - Chloramine resistant
  - Dual seal
- Proprietary DR resistant low lead brass alloy
- Actuator
  - ZEMS 6 VDC Motorized Actuator
- Automatic Sensor
  - Fully configurable sensor range adjustment
  - Manual push button override
  - 48 or 168 hour trap seal flush
  - Capacitive sensing push button override
- Control Stop
  - Internal siphon-guard protection
  - Sweat solder kit
- Vacuum Breaker
  - High back pressure
  - One piece hex coupling nut
- Internal seals
  - Chloramine resistant
- Spud coupling for rear spud connection
- Adjustable tailpiece

COMPLIANCE AND CERTIFICATION:

- ADA Compliant



This product should be used with a WaterSense labeled counterpart with a compatible flush volume to ensure that the entire system meets the requirements for water efficiency and performance.



FLOW OPTIONS

	FLUSH VOLUME GPF	WATERSENSE COMPLIANT
<b>-ONE</b>	1.1	☑
<b>-HET</b>	1.28	☑
<b>-WS1</b>	1.6	
<b>-STANDARD</b>	3.5	


ACCESSORIES (ORDER SEPARATE AS SPECIFIED)

- P6900-ACA-BA 7.6VDC Plug-In ACA Power Supply Powers up to 4 valves
- P6000-HW6 7.6VDC Hardwired Power Converter Powers up to 8 valves
- P6000-MJ Mini Junction Box

ARCHITECTURAL & ENGINEERING APPROVAL

The information contained in this document is subject to change without notice. Please contact Zurn for most up to date information.

## Rough-in dimensions/Overview dimensions



NOTE: All dimensions are for reference only. Do not use for pre-plumbing.