



ZEMS6000AV-MOB-W1

Hardwired Automatic Sensor Valve for Water Closets TAG _____

Architectural/Engineering Specification:

Exposed, quiet diaphragm type, Hardwired Automatic Sensor Flush Valve with manual push button for retrofit and new construction, and designed for modern commercial restrooms. Zurn smart and connected flush valve system for water closet are Performance engineered delivering a superior user experience in both form and function.

Product Features:

- Zurn's AquaVantage® TPE diaphragm
 - Clog Resistant by-pass
 - Chloramine resistant
 - Dual seal
- Proprietary DR resistant low lead brass alloy
- Actuator
 - ZEMS 6 VDC Motorized Actuator
- Automatic Sensor
 - Fully configurable sensor range adjustment
 - 48 or 168 hour trap seal flush
 - Capacitive sensing push button override
- Manual Override Button
- Control Stop
 - Internal siphon-guard protection
 - Vandal resistant stop cap
 - Sweat solder kit
 - Cast wall flange with set screw
- Vacuum Breaker
 - High back pressure
 - One piece hex coupling nut
- Internal seals
- Adjustable tailpiece
- Spud coupling and flange for top spud connection
- Wireless monitor (Flush count & water usage)

Compliance and Certification:

- ADA Compliant
- Water Sense Compliant



*This product should be used with a WaterSense labeled counterpart with a compatible flush volume to ensure that the entire system meets the requirements for water efficiency and performance.



Flow Option:

- ONE* 1.1 gpf High Efficiency Flush
- HET* 1.28 gpf High Efficiency Flush
- WS1 1.6 gpf Low Consumption Flush
- Standard 3.5 gpf

Suffix Options:

- YJ Split Ring Pipe Support
- YK Solid Ring Pipe Support
- YO Bumper on Angle Stop
- Other

Power Supply Options:

- HW6 Hardwired Power Converter (Up to 6 Valves)
- MJ Mini Junction Box

Architectural/Engineering Approval

The information contained in this document is subject to change without notice. Please contact Zurn for most up to date information.





ZEMS6000AV-MOB-W1

Hardwired Automatic Sensor Valve for Water Closets TAG _____

Rough-in dimensions/Overview dimensions

